2,919 iner Ind Edgar Ithe cover sheet with the company sheet communication application is subject to SEP 1308. Ithis application is subject to SEP 1308.	olication. If not include will be mailed in due	ed course. THIS
the cover sheet with the company the cover sheet with the company the company the company the company appropriate communication. This application is subject to PEP 1308.	3745 orrespondence addresolication. If not include will be mailed in due	ed course. THIS
the cover sheet with the co MAINS) CLOSED in this appropriate communication This application is subject to PEP 1308.	orrespondence addre	ed course. THIS
MAINS) CLOSED in this appression appropriate communication. This application is subject to PEP 1308. Luary 2007.	olication. If not include will be mailed in due	ed course. THIS
U.S.C. & 119(a)-(d) or (f)		
U.S.C. & 119(a)-(d) or (f)		
eceived. eceived in Application No		tion from the
	complying with the rec	quirements
		OTICE OF
omitted.		
tent Drawing Review (PTO-9	948) attached	
•		
hould be written on the drawin er according to 37 CFR 1.121(o	ngs in the front (not the d).	back) of
IOLOGICAL MATERIAL n HE DEPOSIT OF BIOLOGICA	nust be submitted. N AL MATERIAL.	Note the
	A A A - D - Ai	
Paper No./Mail Dat	e	
/. 🔲 Examiner's Amendn	nent/Comment	
8. Examiner's Stateme	Richard Edgar Primary Examiner Art Unit: 3745	wance
	eceived. eceived in Application No s have been received in this recommunication to file a reply of this application. The attached EXAMINER' on(s) why the oath or declaration omitted. Itent Drawing Review (PTO-1) Idment / Comment or in the One of the drawing recording to 37 CFR 1.121(c) IOLOGICAL MATERIAL IN THE DEPOSIT OF BIOLOGICAL BI	eceived in Application Nos have been received in this national stage applicated and stage application. Sommunication to file a reply complying with the received this application. Sometiment of the attached EXAMINER'S AMENDMENT or Non(s) why the oath or declaration is deficient. Somitted. Somitted. Somitted. Somitted. Somitted Pro-948 attached Somitted Pr

Replacement sheet 1/2

Docket No.: 20800/0204921-US0



